



Gasil® HP210

Gasil® HP210 is a high performance organically treated silica gel specifically designed as an effective matting agent for solvent based clear systems such as wood flooring, furniture, decorative and general industrial.

Gasil® HP210 provides excellent matting efficiency combined with minimal effect on clarity and mechanical film properties.

Gasil® HP210 Benefits:

- Optimal matting efficiency from ultra high pore volume and controlled particle size distribution
- Product Consistency
- Ease of dispersion
- Film Clarity
- Raw Material Cost Savings

Average Particle Size of Gasil® HP210

Malvern Mastersizer, microns 5.9 – 7.6

Typical Properties of GASIL® HP210

Pore volume, (ml/g)	1.8
Loss at 1000° C (%)	11
pH (5% aqueous)	3.5

Gasil®HP210 Storage & Handling:

Store the product in unopened bags in a dry place with temperatures between 35° F and 95° F. Handle sensibly to minimize creation of dust and build up of static electricity. Product is amorphous (no crystalline silica). Please consult the MSDS available on request.

Packaging:

Gasil® HP210 is available in 30 pound bags or 15 kilogram bags.



P.O. Box 840, Valley Forge,
Pennsylvania 19482-0840 USA
Tel.: 01-800-944-7411

www.pqcorp.com

The information presented herein is true and accurate to the best of our knowledge, but without any guarantee unless explicitly given. Since the conditions of use are beyond our control we disclaim any liability, including for patent infringement, incurred in connection with the use of these products, data or suggestion. Copyright PQ Corporation