



Gasil® HP880

Gasil® HP880 is a large particle, high performance, organically treated silica gel specifically designed for solvent based coatings such as wood flooring and furniture.

Gasil® HP880 provides excellent matting efficiency and its organic treatment is resistant to solvent stripping.

Gasil® HP880 Benefits:

- Optimal matting efficiency from ultra high pore volume and controlled particle size distribution
- Product consistency
- Suitable in acetone rich systems
- Ease of dispersion
- Film clarity
- Raw material cost savings

Average Particle Size of Gasil® HP880

Mastersizer, microns 7.2 – 8.8

Typical Properties of GASIL® HP880

Pore volume, (ml/g)	1.8
Loss at 1000° C (%)	12
pH (5% aqueous)	3.5



P.O. Box 840, Valley Forge,
Pennsylvania 19482-0840 USA
Tel.: 01-800-944-7411

www.pqcorp.com

Gasil® HP880 Storage & Handling:

Store the product in unopened bags in a dry place with temperatures between 35° F and 95° F. Handle sensibly to minimize creation of dust and build up of static electricity. Product is amorphous (no crystalline silica). Please consult the MSDS available on request.

Packaging:

Gasil® HP880 is available in 20 kilogram bags.

The information presented herein is true and accurate to the best of our knowledge, but without any guarantee unless explicitly given. Since the conditions of use are beyond our control we disclaim any liability, including for patent infringement, incurred in connection with the use of these products, data or suggestion. Copyright PQ Corporation